











# COVID-19 Vaccine Timing by Age

## Routine Schedule

| Age  | Vaccine   | Primary Doses   | Booster Dose  | Consider 2nd Booster  |
|------|---|---|---|---|
| 5-11 | <b>Pfizer–Pediatric (5-11)</b>                            |  <p>1st Dose → 3 weeks → 2nd Dose</p>  |   |   |
| 12+  | <b>Pfizer/Comirnaty (12+)</b>                             |  <p>1st Dose → 3 weeks → 2nd Dose<br/>(8 weeks for some people<sup>^</sup>)</p> |  <p>1st Booster<br/>Ages 12-17: Pfizer</p>                               |  <p>2nd Booster<br/>Ages 50+: Moderna/Pfizer<br/>18-49: Not currently recommended</p> |
| 18+  | <b>Moderna/Spikevax</b>                                   |  <p>1st Dose → 4 weeks → 2nd Dose<br/>(8 weeks for some people<sup>^</sup>)</p> |  <p>1st Booster<br/>18+: Moderna/Pfizer (mRNA preferred) or J&amp;J*</p> |  <p>2nd Booster<br/>18-49: Not currently recommended</p>                              |
| 18+  | <b>Johnson &amp; Johnson</b><br>Pfizer/Moderna preferred* |  <p>1st Dose → ≥2 months</p>  |  <p>1st Booster</p>   |  <p>2nd Booster</p>  |







<sup>^</sup> An [8-week interval](#) may be preferable for some people, especially for males 12-39 years.

\* Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).

View [Interim Clinical Considerations for Use of COVID-19 Vaccines](#) for details. Schedule is subject to change.

# COVID-19 Vaccine Timing by Age

## Schedule if Moderately or Severely Immunocompromised

| Age  | Vaccine  | Primary Doses  | Booster Dose   | Consider 2nd Booster   |   |
|------|--|--|--|--|---|
| 5-11 | <b>Pfizer–<br/>Pediatric<br/>(5-11)</b>                          |    |  |  |   |
| 12+  | <b>Pfizer/<br/>Comirnaty<br/>(12+)</b>                           |    | <b>1st Booster</b><br><b>Ages 12-17:</b><br>Pfizer<br><br><b>18+:</b> Pfizer/<br>Moderna<br>(mRNA<br>preferred)<br>or J&J* | <b>2nd Booster</b><br><b>Ages 12-17:</b><br>Pfizer<br><br><b>18+:</b> Moderna/<br>Pfizer |   |
| 18+  | <b>Moderna/<br/>Spikevax</b>                                     |    |  |  |  |
| 18+  | <b>Johnson &amp;<br/>Johnson</b><br>Pfizer/Moderna<br>preferred* |  |  |  |  |

\*Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in [some situations](#).

View [COVID-19 Vaccines for Moderately or Severely Immunocompromised People](#) for details. Schedule is subject to change.